BAR FINISHED MAC 直棒精整設備 COLD DRAWING MACHINE 直棒冷拔抽伸機 COMBINED DRAWING MACHINE 盤元連續抽伸機 TWO-ROLLER STRAIGHTENER 雙輥矯直機 MULTI-ROLLER STRAIGHTENER 多輥矯直機 VERTICAL-HORIZONTAL ROLLER STRAIGHTENIG 垂直水平式矯直機 STRIP COIL COLD ROLLING MACHINE 鋼捲軋板機 PUSH POINTER 擠頭機 SHOT BLAST DESCALER 噴砂機 CENTERLESS BAR TURNING NACHINE (PEELER) 削皮機 CHAMFERING MACHINE 倒角機




MODEL 型號 \mathbf{III} FINISH SIZE(Ø mm) 成品尺寸 19-32 5-13 10-20 4-8 ●ROUND BAR 圓棒 4-7 5-12 10-20 19-30 ■SQUAREBAR 方棒 19-32 ●HEXAGON BAR 六角棒 5-13 10-20 4-8 2.0-6.0 CUTTING ENGTH(m) 裁斷長度(米) 2.0-6.0 2.0-6.0 2.0 - 4.0MAX. DRAWING SPEED(m/min) 45 80 60 60 最高拉伸速度(米/分)

盤元連續抽伸機

 COLD DRAWING MACHINE (WHOLE PLANT TURN-KEY EXPORT) 直棒冷拔抽伸機 (整線及整廠輸出)


MODEL型號	I	П
FINISH SIZE(Ø mm) 成品尺寸 ●ROUND BAR 圓棒 ■SQUARE BAR 方棒 ●HEXAGON BAR 六角棒	22-45	40-100
CUTTING ENGTH(m)裁斷長度(米)	2.0-6.0	2.0-6.0
MAX. DRAWING SPEED(m/min) 最高拉伸速度(米/分)	10-25	8-20





MODEL 型號	I	П
FINISH SIZE(∅ m) 成品尺寸 ●ROUND BAl 圓棒	22Ø -45Ø	40Ø -100Ø
SHRAIGHTENE:S (mm/m) 直度 PRE-STRAIGHT NER	1	1 .
MAX. STRAIGH ENING SPEED (m/min)	0.5	0.5
最高拉伸速度(长分)	5-25	5-20





STRIP COIL COLD ROLLING MACHINE

鋼捲軋板機

- · 厚度減縮量0.5MM


 Thickness reduction can be rolled up to 0.5mm
- ·依鋼捲材質、寬度、重量、厚度減縮量及厚度公差等,機器可依不同的客戶需求 作不同的設計及製造

According to material width weight thickness reduction and tolerance of steel strip, machine can be designed and manufactured by customer's request

VERTICAL-HORIZONTAL ROLLER STRAIGHTENING UNIT

垂直水平式矯直機

- ·可用在圓鋼●、方鋼■、六角棒●
 Straightening for round bar、square bar and hexagon bar
- · 依材質、直徑及直度要求,機器可依不同的客戶需求作不同的設計及製造 According to material、diameter、 and straightness, machine can be designed and manufactured by customer's request.



GENEMAX INDUSTRAL INC.

33, Shin-Yi Rd, An-Ping Industrial District, Tainan 702, Taiwan

TEL:+886-6-263-7999 FAX:+886-2637950

E-MAIL:genemax@seed.net.tw Website:www.gmx.com.tw